

Technical Data Sheet

Doc No – Ab/TDS/CT-11
Rev No : 09 Date 02/2022-23

TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

MaxiRCF Trace Metal Free Centrifuge Tubes, PP/HDPE

Valid For Cat. No. P10480, P10481, P10482, P10483, P10484, P10485, P10486, P10487, P10488

1. Description/Specification

1.1 Description:

High Purity Virgin Polypropylene (PP) centrifuge tube, DNase, RNase, Human DNA, ATP, Pyrogen Free, Trace Heavy Metals Free, IVD & CE certified

1.2 Design:

1.2.1 Tube: Cylindrical Upper and conical Bottom/Self Stand

1.2.2 Tube Cap: Separate Threaded HDPE Cap

1.3 Performance Specifications:

1.3.1

| Code | Capacity | Outer Diameter(mm) | Height (mm) | No./Case |
|---------------|---------------------------|---------------------------|--------------------|-----------------|
| P10480 | 15ml Bulk | 16.5 | 121 | 500 |
| P10481 | 15ml | 16.5 | 121 | 500 |
| P10482 | 15ml Sterile | 16.5 | 121 | 500 |
| P10483 | 50ml Bulk | 29.2 | 116 | 500 |
| P10484 | 50ml | 29.2 | 116 | 500 |
| P10485 | 50ml Sterile | 29.2 | 116 | 500 |
| P10486 | 50ml Self Stand (Bulk) | 29.2 | 117.3 | 500 |
| P10487 | 50ml Self Stand | 29.2 | 117.3 | 500 |
| P10488 | 50ml Self Stand (Sterile) | 29.2 | 117.3 | 500 |

1.4 Material:

1.4.1 Tube - Polypropylene (PP) & Cap- High Density Polyethylene (HDPE) confirm US FDA 21CFR

1.4.2 Complies with the requirement of European Pharmacopoeia, Plastic Containers and closures for Pharmaceutical use.



Abdos Labtech Private Limited
(A Division of Abdos Group)
(An ISO 9001,13485,14001,18385,GMP & CE certified company)
Shiv Ganga Industrial Estate
Plot No-1, Lakheswari, Bhagwanpur,
Roorkee-247667, (UK) INDIA

Registered office
13A Government
Place East, 2nd Floor Kolkata
West Bengal – 700069
CIN: U85100WB2008PTC123903
Corporate Office
319, 3rd Floor, DLF Tower A, DDA Dist. Centre
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277
Email:labtech@abdosindia.com
Web: www.abdoslifesciences.com
GST: 05AAGCA8605A1Z7

Technical Data Sheet

1.4.3 The product has passed the USP testing including class VI tests. Materials has successful passed the biological tests according to ISO 10993 external communication devices for indirect blood contact for Prolonged period.

1.4.4 Free from Heavy metals, RoHS Free according to meets relevant requirements of EU regulations 1935/2004/CE, 2002/95/EC as amended, UE 10/2011 as amended. EU CONEG & it's following amendments. It is safe use in contact with food stuff, Pharmaceuticals & drinking water

1.4.5 Product is manufactured without the use of Raw Materials of animal origin. Therefore, BSE/TSE issue does not concern this product to the best of our Knowledge. No materials containing latex or natural rubber are used in the Manufacturing, handling & packaging process for this product.

1.5 Color:

Tube color- Translucent (Natural)

Cap color- Natural

1.6 Graduation and writing surface:

1.6.1 Large Printed Graduation

1.6.2 White Patch for easy writing on the tube

1.7 Sterilization:

Sterile catalog number from this lot have been pre-sterilizes and dosimetrically released based on ANSI/AAMI/ISO 11137 *Sterilization of healthcare products Requirements for validation control-Radiation sterilization*. The product has been sterilized with Co-60 Gamma Radiation. SAL 10^{-6}

1.8 Quality control: Product are manufactured, inspected and found to be in compliance with product & quality specification requirements as documented in ISO 9001:2015 & 13485:2016 Quality Management System. Testing of various characteristics in accordance with the valid specification, inspection reviewed & signed for product release.

1.9 Other information

1.9.1 Recommended for single use only

1.9.2 Pack Size: 500pieces/case

1.9.3 Manufactured in Clean room ISO Class 8

2. Basic Features

2.1 **Temperature range:** Tube:-80⁰C to +121⁰C

2.2 **Autoclavability:** Yes, Autoclavable at 15 psi and 121⁰C for 20 minutes

2.3 **Centrifugation:** 20,000 RCF (15ml), 20,000 RCF (50ml conical) & 7,000 RCF (50ml self stand)

2.4 **Leak Test at 635 mm Hg:** No leakage

2.5 SAL 10^{-6}

2.6 **Chemical resistance:** See website, www.abdoslifesciences.com



Abdos Labtech Private Limited
(A Division of Abdos Group)
(An ISO 9001,13485,14001,18385,GMP & CE certified company)
Shiv Ganga Industrial Estate
Plot No-1, Lakheswari, Bhagwanpur,
Roorkee-247667, (UK) INDIA

Registered office
13A Government
Place East, 2nd Floor Kolkata
West Bengal – 700069
CIN: U85100WB2008PTC123903
Corporate Office
319, 3rd Floor, DLF Tower A, DDA Dist. Centre
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277
Email: labtech@abdosindia.com
Web: www.abdoslifesciences.com
GST: 05AAGCA8605A1Z7

Technical Data Sheet

2.7 Trace Metals included in testing are : Zinc, Iron, Boron, Copper, Manganese, Aluminum, Silicon, Nickel, Vanadium, Phosphorus, Cobalt, Chromium, Lithium, Selenium, Cadmium, Mercury, Arsenic & Lead (18)

Autoclaving Guideline for Plastics

All plastic consumables are autoclavable at 121⁰C for 20 minutes, 15 psi/1atm. Do not use cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 50⁰C before removing product.

Instruction for Use

Product can be used for food contact also.

Storage temp. Max 30°C

Before using the product check crackness, pouch punctured etc.

Check all the information printed on pouches or boxes.

Always wear gloves while handling specimen.

Ensure all sample tubes are evenly filled

For each tube inserted in the rotor, add a tube of equal weight directly opposite it.

WARNING

DO NOT store strong oxidizing agents.

DO NOT place any plastic labware in a flame.

DO NOT mix any chemicals that may result in a thermic reaction, which can cause product failure

Wear a face shield and / or safety goggles if you have to work anywhere near a centrifuge that's in use.

Do not bump, jar, or move the centrifuge while the rotor is spinning. Make sure you don't have the cord dangling from a table edge where someone could catch their foot in it and pull down the centrifuge

Consult local fire codes prior to storage of flammable liquids.

UKRP
Obelis UK LTD
Sandford Gate,
East Point Business Park,
Oxford OX4 6LS
United Kingdom
Tel: +44.1491.378012
info@obelis.co.uk

UKCA

Obelis s.a.
Bd General Walsis 53
1130 Brussels Belgium
Tel: +32 2 732-59-54
Fax: +32 2 732-60-03
mail@obelis.net

STERILE R

30°C

CE

IVD

EC REP

Abdos Labtech Pvt. Ltd.
Plot No. 1 Lakshewari Bhagwanpur Roorkee 247667 (UK) India
Email : labtech@abdosindia.com, www.abdoslifesciences.com
Ph: +(91) 11 41081897

Electronic iFU



Abdos Labtech Private Limited
(A Division of Abdos Group)
(An ISO 9001,13485,14001,18385,GMP & CE certified company)
Shiv Ganga Industrial Estate
Plot No-1, Lakshewari, Bhagwanpur,
Roorkee-247667, (UK) INDIA

Registered office
13A Government
Place East, 2nd Floor Kolkata
West Bengal – 700069
CIN: U85100WB2008PTC123903

Corporate Office
319, 3rd Floor, DLF Tower A, DDA Dist. Centre
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277
Email:labtech@abdosindia.com
Web: www.abdoslifesciences.com
GST: 05AAGCA8605A1Z7

Technical Data Sheet



Abdos Labtech Private Limited
(A Division of Abdos Group)
(An ISO 9001,13485,14001,18385,GMP & CE certified company)
Shiv Ganga Industrial Estate
Plot No-1, Lakheswari, Bhagwanpur,
Roorkee-247667, (UK) INDIA

Registered office
13A Government
Place East, 2nd Floor Kolkata
West Bengal – 700069
CIN: U85100WB2008PTC123903
Corporate Office
319, 3rd Floor, DLF Tower A, DDA Dist. Centre
Jasola, New Delhi - 110025

Ph. No: +91- (0) 1332235277
Email: labtech@abdosindia.com
Web: www.abdoslivesciences.com
GST: 05AAGCA8605A1Z7