# **Technical Data Sheet**

Doc No – Ab/TDS/Eqpt -237

Rev No: 04 Date 02/2022-23

### TECHNICAL DATA SHEET

Abdos Labtech Pvt. Ltd.

**THERMO MIX -LCD Digital** 

Valid for Catalog No. E11340, E11341, E11342

### 1. Description/Specification

**1.1 Description:** THERMO MIX - LCD Digital.

- 1.1.1 ABDOS Thermo Mix Series allows for precise and efficient shaking and mixing as well as excellent temperature accuracy and uniformity, offering a wide range of applications, such as Gene Synthesis, Gene Purification, Gene Denaturation, Protein Denaturation, Enzymatic reaction, Bacterial growth and many more.
- 1.1.2 ABDOS Thermo Mix is equipped with quick interchange of blocks with magnet Adhesion technology and without any tools.
- 1.1.3 It is programmable and has three points calibration with precise temperature control for heating and cooling.
- **1.2 Design:** LCD Digital with transparent lid.

#### 1.3 Performance Specifications:

Specification	Code			
	E11340	E11341	E11342	
Functions	Heating, Cooling & Mixing	Heating & Cooling	Heating & Mixing	
Temperature range	Heating:25°~100°C	Heating:25°~100°C	Heating:25°~100°C	
	Cooling: 25°~below15°C	Cooling: below25°C		
Temperature uniformity	Max ± 0.5°C	Max ± 0.5°C	Max ± 0.5°C	
Temperature accuracy	± 0.5°C	± 0.5°C	± 0.5°C	
Max heating rate	5.5°C/min	5.5°C/min	5.5°C/min	
Max cooling rate	5°C/min (100°-25°C)	2.5°C/min (100°-25°C)	-	
	0.5°C/min (below25°C)	0.5°C/min (below25°C)		
Mixing frequency	200 – 1500 rpm	NA	200 – 1500 rpm	
Mixing Orbit	3mm	-	3mm	
Program	6	9	6	
Overheating Protection	150°C	150°C	150°C	
Voltage	220 – 240V	220 – 240V	220 – 240V	
Frequency	50/60Hz	50/60Hz	50/60Hz	



# **Technical Data Sheet**

Power	200W	200W	200W
Dimension(WxDxH)	200x235x120 mm	200x235x120 mm	200x235x120 mm
Weight	7.3kg	7.3kg	7.3kg

E11340 – LCD Digital Thermo Mix with Heating, Cooling & Mixing with 1.5ml heating block

E11341 – LCD Digital Thermo Mix with Heating & Cooling with 1.5ml heating block

E11342 – LCD Digital Thermo Mix with Heating & Mixing with 1.5ml heating block

#### **Spare Accessories:**

Code	Product	Places
E11343	Heating Block for 0.2 ml/96 well PCR plate	96
E11344	Heating Block for 96/384 well micro plate	96/384
E11345	Heating Block for 0.5ml	24
E11346	Heating Block for 1.5 ml	24
E11347	Heating Block for 2.0 ml	24
E11348	Heating Block for 5.0ml	8
E11349	Heating Block for 15ml	8
E11350	Heating Block for 50ml	4

**1.4 Material:** Body – ABS Material

1.5 Color: Black & White

1.6. Basic features:

1.6.1 **Material:** Made up of highly pure Virgin ABS (Acrylonitrile Butadiene Styrene)

1.6.2 CE certified

1.6.3 Chemical resistance: see website (<u>www.abdoslifesciences.com</u>)

Warranty: 12 months from the date of Installation or 15 months from the date of Invoicing

#### **Instruction for Use**

Storage temp. Max 30°C

Before using the product check crackness, etc.

Check all the information printed on pouches or boxes.



# **Technical Data Sheet**

### **WARNING**

**DO NOT** store strong oxidizing agents.

**DO NOT** place any plastic labware in a flame.

**DO NOT** mix any chemicals that may result in a thermic reaction, which can cause product failure Consult local fire codes prior to storage of flammable liquids.









Ph. No: +91- (0) 1332235277 Email:labtech@abdosindia.com Web: www.abdoslifesiences.com GST: 05AAGCA8605A1Z7